AUTHOR INDEX

Ashimura, S., 31, 137

Balbi, J. H., 273
Balbi, N., 273
Balkanov, I., 71
Bandara, H. M. N., 165
Bass, K., 21
Begerhotta, A., 341
Bessel, C., 229
Boschi, T., 185
Brandt, K., 195

Christianson, C. C., 215
Croce, F., 287
Culpin, B., 127

Dissanayake, M. A. K. L., 165, 349
Di Vona, M. L., 185

Eads, E., 229
Ema, K., 207

Fleming, F. A., 127
Futamata, M., 31, 137

Geronov, Y., 71
Girolami, G., 273

Hagan, W. P., 95
Hampson, N. A., 95, 253
Higuchi, S., 31, 137
Hills, A. J., 253
Hooper, A., 157
Hunter, C. C., 157

Ito, Y., 207

Karunamuni, J., 165, 349
Khare, N., 121
Krishnakumar, R., 41, 329

Lakshmanan, A. S., 41, 329
Laman, F. C., 195
Lee, J., 215
Li Changzhi, 115
Li Gi, 115

Mathur, P. B., 341
Messina, R., 85
Miller, J. F., 215
Mitchell, P. J., 21

Nakamura, O., 31, 137
Narayanan, S. R., 51, 295
Nguyen Quang Minh, 1

Ogino, I., 31, 137
Oishi, J., 207
Okazaki, S., 31, 137
Orenga, P., 273

Packer, R. K., 95
Pilling, M. W., 127
Pistoia, G., 185

Ramprakash, Y., 41, 329
Riolacci, C., 273

Sathyanarayana, S., 51, 295
Scrosati, B., 287
Selvaggi, A., 287
Sinclair, D. C., 157
Smith, J., 21
Subramanian, V., 41, 329

Tagliatesta, P., 185
Takada, Y., 31, 137
Takahashi, S., 31, 137
Takeuchi, E. S., 229
Takeuchi, K. J., 229
Tandon, H. C., 341
Tranchant, A., 85

Venkatesan, V. K., 41, 329
Vijh, A. K., 243
Voss, E., 171

Wang Baochen, 115
Wang Fosong, 115
Wang Gang, 287
West, A. R., 157
Wilcox, G. D., 21

Yabe, H., 207

Zlatilova, P., 71

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

a.c. impedance
of Li/polymer electrolyte interface in solid-state Li cells, 157
of Mg/Mn dioxide dry cells in absence of anode-film breakdown, 51
Aluminium
thin foil Li–Al electrode; effect of thermal treatment on its electrochemical behaviour in nonaqueous media, 71
Anode-film breakdown
experimental and theoretical investigation of voltage transients of Mg/Mn dioxide dry cells in absence of, 295

Battery manufacture
effect of impurities on performance of Li intended for Li/thionyl chloride, 95
Batteries
10 kW-class advanced
performance testing of, for electric energy storage systems in Japan, 137
transient response of, to abrupt load changes, 31
large-scale polyaniline, 115
Bromine
thermodynamic determinations for Li/thionyl chloride and Li/BrCl–thionyl chloride cells as function of temperature and depth of discharge, 229

Cadmium sulphide
electrodes, photoelectrochemical study of screen-printed, 41
photoanodes, studies on polycrystalline, 329
–solid electrolyte photoelectrochemical solar cell, 121
Cathodes
MoO_3, V_2O_5 and MoV_2O_8 as rechargeable, in Li cells, comparative electrochemical study of, 85
Ni oxide, in molten carbonate fuel cells, technological status of, 1
Chromotropic acid
interaction of Fe^{2+}/Fe^{3+} and Ti^{3+}/Ti^{2+} with; conductometric and spectrophotometric studies, 341
Conductometric studies
interaction of Fe^{2+}/Fe^{3+} and Ti^{3+}/Ti^{2+} with chromotropic acid, 341
Copper
discharge characteristics of solid-state cells with Mg and Cu electrodes and thin-film, solid electrolyte of cuprous sulphate, 165
Cuprous halide
mixed phase, discharge characteristics of solid-state cells incorporating thin films of, 349
Cuprous sulphate
discharge characteristics of solid-state cells with Mg and Cu electrodes and thin-film, solid electrolyte of, 165
Cycle life
of rechargeable Li battery, effect of discharge current on, 195

Depth of discharge
thermodynamic determinations for Li/thionyl chloride and Li/BrCl–thionyl chloride cells as function of temperature and, 229
Discharge characteristics
of solid-state cells
with Mg and Cu electrodes and thin-film, solid electrolyte of cuprous sulphate, 165
incorporating thin films of cuprous halide mixed phase, 349
Discharge current
effect of, on cycle life of rechargeable Li battery, 195
Dry cells
Mg/Mn dioxide, a.c. impedance of, in absence of anode-film breakdown, 51

Electric energy storage systems
performance testing of 10 kW-class advanced batteries for, in Japan, 137

© Elsevier Sequoia/Printed in The Netherlands

Electric vehicle operations
statistical analysis of performance degradation of lead–acid battery under simulated, 215
Electrochemical behaviour
thin foil Li–Al electrode; effect of thermal treatment on its, in non-aqueous media, 71
Electrochemical study
of MoO_3, V_2O_5 and MoV_2O_8 as re-chargeable cathodes in Li cells, comparative, 85
Electrode(s)
Cd sulphide, photoelectrochemical study of screen-printed, 41
Mg and Cu, discharge characteristics of solid-state cells with, and thin-film, solid electrolyte of cuprous sulphate, 165
Ni, surface modification of, for molten carbonate fuel cells, 207
polyaniline, behaviour of, in aqueous and organic solutions, 185
thin foil Li–Al; effect of thermal treatment on its electrochemical behaviour in nonaqueous media, 71
Electrode interfaces
investigation of; Li/LiV_3O_8 polymer electrolyte Li battery, 287
Electrodeposition
of Zn onto graphitic C substrates from alkaline electrolytes, 21
Electrolyte(s)
a.c. impedance studies of Li/polymer, interface in solid-state Li cells, 157
Cd sulphide–solid, photoelectrochemical solar cell, 121
characteristics of surface films formed on active metals of interest in high energy density batteries, semiconductivity and solid, 243
of cuprous sulphate, discharge characteristics of solid-state cells with Mg and Cu electrodes and thin-film solid, 165
Electrolytes
electrodeposition of Zn onto graphitic C substrates from alkanline, 21

Fuel cells
molten carbonate
surface modification of Ni electrodes for, 207
technological status of Ni oxide in, 1

Gassing behaviour
of lead–acid negative active material and development of quality control test for Pb oxide purity, 127
Graphitic carbon substrates
electrodeposition of Zn onto, from alkaline electrolytes, 21

High energy density batteries
semiconductivity and solid electrolyte characteristics of surface films formed on active metals of interest in, 243

Impurities
effect of, on performance of Li intended for Li/thionyl chloride battery manufacture, 95
Iron
interaction of Fe^{2+}/Fe^{3+} and Ti^{3+}/Ti^{2+} with chromotropic acid; conductometric and spectrophotometric studies, 341

Lead–acid battery
statistical analysis of performance degradation of, under simulated electric vehicle operations, 215
Lead–acid cell
effects of phosphoric acid additions on behaviour of, 171
Lead–acid negative active material
gassing behaviour of, and development of quality control test for Pb oxide purity, 127
Lead oxide purity
development of quality control test for, gassing behaviour of lead–acid negative active material and, 127
Lithium
–Al electrode, thin foil; effect of thermal treatment on its electrochemical behaviour in nonaqueous media, 71
effect of impurities on performance of Li intended for Li/thionyl chloride battery manufacture, 95
Li/LiV_3O_8 polymer electrolyte Li battery; investigation of electrode interfaces, 287
–$SOCl_2$ cell, a review, 253
thermodynamic determinations for Li/thionyl chloride and Li/BrCl–thionyl chloride cells as function of

temperature and depth of discharge, 229
Lithium battery
effect of discharge current on cycle life of rechargeable, 195
Lithium cells
a.c. impedance studies of Li/polymer electrolyte interface in solid-state, 157
MoO_3, V_2O_5 and MoV_2O_8 as rechargeable cathodes in, comparative electrochemical study of, 85
Load changes
transient response of 10-kW class advanced batteries to abrupt, 31

Magnesium
discharge characteristics of solid-state cells with Mg and Cu electrodes and thin-film, solid electrolyte of cuprous sulphate, 165
/Mn dioxide dry cells in absence of anode-film breakdown,
a.c. impedance of, 51
experimental and theoretical investigation of voltage transients of, 295
Manganese
Mg/Mn dioxide dry cells in absence of anode-film breakdown,
a.c. impedance of, 51
experimental and theoretical investigation of voltage transients of, 295
Metals
surface films formed on active, of interest in high energy density batteries, semiconductivity and solid electrolyte characteristics of, 243
Molten carbonate fuel cells
surface modification of Ni electrodes for, 207
technological status of Ni oxide cathodes in, 1
Molybdenum
comparative electrochemical study of MoO_3, V_2O_5 and MoV_2O_8 as rechargeable cathode in Li cells, 85

Nickel
electrodes, surface modification of, for molten carbonate fuel cells, 207
Nickel oxide
cathodes in molten carbonate fuel cells, technological status of, 1

Performance degradation
of lead–acid battery under simulated electric vehicle operations, statistical analysis of, 215
Performance testing
of 10 kW-class advanced batteries for electric energy storage systems in Japan, 137
Phosphoric acid
additions, effects of, on behaviour of lead–acid cell, 171
Photoanodes
Cd sulphide, studies on polycrystalline, 329
Polyaniline
batteries, large-scale, 115
electrodes, behaviour of, in aqueous and organic solutions, 185
Photoelectrochemical solar cell
Cd sulphide–solid electrolyte, 121
Photoelectrochemical study
of screen-printed Cd sulphide electrodes, 41
Polymer electrolyte
a.c. impedance studies of Li/, interface, in solid-state Li cells, 157
Li/LiV_3O_8, Li battery; investigation of electrode interfaces, 287

Quality control test
for Pb oxide purity, gassing behaviour of lead–acid negative active material and development of, 127

Semiconductivity
and solid electrolyte characteristics of surface films formed on active metals of interest in high energy density batteries, 243
Solar cell
Cd sulphide–solid electrolyte photoelectrochemical, 121
Solar concentrators
of the solar centre of vignola, Corsica; modelling a real system, 273
Solid-state cells
discharge characteristics of, incorporating thin films of cuprous halide mixed phase, 349
Spectrophotometric studies
interaction of Fe^{2+}/Fe^{3+} and Ti^{3+}/Ti^{2+} with chromotropic acid, 341
Surface films
formed on active metals of interest in high energy density batteries,

semiconductivity and solid electrolyte characteristics of, 243
Surface modification
of Ni electrodes for molten carbonate fuel cells, 207

Technological status
of Ni oxide cathodes in molten carbonate fuel cells, 1
Temperature
thermodynamic determinations for Li/thionyl chloride and Li/BrCl–thionyl chloride cells as function of, and depth of discharge, 229
Thermal treatment
thin foil Li–Al electrode; effect of, on its electrochemical behaviour in nonaqueous media, 71
Thermodynamic determinations
for Li/thionyl chloride and Li/BrCl–thionyl chloride cells as function of temperature and depth of discharge, 229
Thionyl chloride
Li/, battery manufacture, effect of impurities on performance of Li intended for, 95
Li/ and Li/BrCl– cells, thermodynamic determinations for, as function of temperature and depth of discharge, 229
Li–$SOCl_2$ cell, a review, 253
Titanium
interaction of Fe^{2+}/Fe^{3+} and Ti^{3+}/Ti^{2+} with chromotropic acid; conductometric and spectrophotometric studies, 341
Transient response
of 10-kW class advanced batteries to abrupt load changes, 31

Vanadium
comparative electrochemical study of MoO_3, V_2O_5 and MoV_2O_8 as rechargeable cathodes in Li cells, 85
Li/LiV_3O_8 polymer electrolyte Li battery; investigation of electrode interfaces, 287
Voltage transients
of Mg/Mn dioxide dry cells in absence of anode-film breakdown, experimental and theoretical investigation of, 295

Zinc
electrodeposition of, onto graphitic C substrates from alkaline electrolytes, 21